



Mobile column for fork trucks

GAB905DC wireless

article no.: GAB905DC01-H

Hydraulic column GAB905DC wireless especially adapted to lift industrial trucks at front and rear. This column has a capacity of 5 tons and adjustable flat fork tines. An independent and flexible use is achieved by the battery drive and radio control. Operation and travelling device at each column.




specifications

article no.		GAB905DC01-H
lifting unit	type of columns	all columns identical
	quantity of columns	1
load support	load support	flat fork tines
	capacity per column	5 t
	length of fork (mm)	690 mm
lifting height	lifting stroke effective	1750 mm
	lifting height	1805 mm
speed	lifting time	90 sec.
	lowering time (under load)	90 sec.
drive	mode of drive	electro-hydraulic
	motor	DC voltage
	motor power (kW)	2.2 kW
power supply	type of power supply	battery-powered
	type of battery	deep cycle, maintenance-free
	battery capacity per column	80 Ah
	lift cycles at full load	30
	total battery voltage	24 V
	length of charging cable	10 m
	charging concept	EasyCharge
	charging voltage	230 V
	frequency of power supply	50 Hz
	charging time	8 h
communication		communication via radio, wireless
operation	mode of operation	operation at each column
	activation	all, individual
	control	electronic
	Softstart	X
regularisation	synchronisation	proportional valves, infinitely variable
travelling device	travelling device	at each column
	travelling device at front	2 front wheels, hydraulically acting
	travelling device at rear	1 hydraulic pallet jack with twin wheels
	ground clearance at front	100 mm
	ground clearance at rear	100 mm
load securing	load securing	hydraulic and mechanical
dimensions	length	1690 mm
	width	2200 mm
	height	2530 mm
	height of fork (mm)	55 mm
weight	weight per column (kgs)	1070 kg
protection class		IP54
surface treatment	type of surface treatment	powder coating
	colour	orange RAL2004 / grey RAL7015







accessories



GAB905-FA335 platforms, 5 t



GAB905-FT340Fork tines, flat, 3 t, 400 x 30 mm



GAB905-SP350 Support plate, 4.4 t, for counter weights



GAB905-PR232
Adaptor for pallet trucks